

THE UNIVERSITY OF TULSA
THE GRADUATE SCHOOL

HOW TO PREPARE THE PERFECT
THESIS OR DISSERTATION DOCUMENT

by
Noah L. Schrick

A thesis submitted in partial fulfillment of
the requirements for the degree of Master of Science
in the Discipline of Computer Science

The Graduate School
The University of Tulsa

2022

THE UNIVERSITY OF TULSA
THE GRADUATE SCHOOL

HOW TO PREPARE THE PERFECT
THESIS OR DISSERTATION DOCUMENT

by
Noah L. Schrick

A THESIS
APPROVED FOR THE DISCIPLINE OF
COMPUTER SCIENCE

By Thesis Committee

I. M. Brilliant, Chair
Second Member
Third Member
Fourth Member
Fifth Member
Sixth Member

COPYRIGHT STATEMENT

Copyright © 2022 by Noah L. Schrick

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the author.

ABSTRACT

Noah L. Schrick (Master of Science in Computer Science)

How to Prepare the Perfect Thesis or Dissertation Document

Directed by I. M. Brilliant

92 pp., Chapter 7: Conclusions and Future Works

(29 words)

In order to prepare a perfect thesis or dissertation, we do hereby follow these illustrious instructions to the letter.

ACKNOWLEDGEMENTS

I would like to thank everyone who has made this thesis template possible. Thanks and more thanks. In fact, let me give thanks all over the place.

TABLE OF CONTENTS

COPYRIGHT	iii
ABSTRACT	iv
ACKNOWLEDGEMENTS	v
TABLE OF CONTENTS	vii
LIST OF TABLES	viii
LIST OF FIGURES	ix
CHAPTER 1: INTRODUCTION	1
1.1 First Heading: The Introduction	1
1.2 Second Heading	1
1.2.1 <i>First Subheading</i>	1
1.2.2 <i>Second Subheading</i>	1
First Sub-subsection Header	1
CHAPTER 2: RELATED WORKS	3
2.1 First Heading	3
2.2 Second Heading	4
CHAPTER 3: UTILITY EXTENSIONS TO THE RAGE ATTACK GRAPH GENERATOR	5
3.1 Path Walking	5
3.2 Compound Operators	6
3.3 Color Coding	7
3.4 Intermediate Database Storage	9
3.5 Relational Operators	9
CHAPTER 4: SYNCHRONOUS FIRING	10
4.1 First Heading	10
4.2 Second Heading	11
CHAPTER 5: IMPLEMENTATION OF MESSAGE PASSING INTERFACE	12
5.1 Tasking Approach	12
5.2 Subgraphing Approach	13

CHAPTER 6: PERFORMANCE ANALYSIS	14
6.1 First Heading	14
6.2 Second Heading	15
CHAPTER 7: CONCLUSIONS AND FUTURE WORKS	16
7.1 First Heading	16
7.2 Second Heading	17
NOMENCLATURE	18
BIBLIOGRAPHY	18
APPENDIX A: THE FIRST APPENDIX	19
APPENDIX B: THE SECOND APPENDIX	20
B.1 A Heading in an Appendix	20
B.1.1 <i>A Subheading in an Appendix</i>	20
A Sub-subsection in an Appendix	20

LIST OF TABLES

1.1	Title of the First Table.	2
2.1	Title of the Second Table	4
2.2	Title of the Third Table	4
4.1	Title of the Second Table	11
4.2	Title of the Third Table	11
5.1	Title of the Second Table	13
5.2	Title of the Third Table	13
6.1	Title of the Second Table	15
6.2	Title of the Third Table	15
7.1	Title of the Second Table	17
7.2	Title of the Third Table	17
A.1	Title of the Only Table in this Appendix.	19
B.1	Title of the First Table in this Appendix.	20
B.2	Title of the Second Table in this Appendix.	21

LIST OF FIGURES

1.1	Title of the First Figure.	1
2.1	Title of the Second Figure	4
3.1	Path Walking to State 14	6
3.2	Color Coding a Small Network Based on Violations	8
4.1	Title of the Second Figure	11
5.1	Title of the Second Figure	13
6.1	Title of the Second Figure	15
7.1	Title of the Second Figure	17
B.1	Title of the First Figure in this Appendix.	21
B.2	Title of the Second Figure in this Appendix.	21

CHAPTER 1

INTRODUCTION

1.1 First Heading: The Introduction

Here is the beginning of a second paragraph.

1.2 Second Heading

This is the text for the second section.

1.2.1 *First Subheading*

This is text for the first subsection.

1.2.2 *Second Subheading*

This is the text which lies in the second subsection.

First Sub-subsection Header: This language lies in the first sub subsection. Since they are the same font and indentation, the header looks a little bit like the text itself, so there is a colon and a little extra space after the sub-subsection heading. This is all taken care of in the TUthesis style page. Here, we refer to Appendix A and Appendix B to check that the references appear as capital letters.

Normally a figure would go here.

Figure 1.1: Title of the First Figure.

Normally a table would go here.

Table 1.1: Title of the First Table.

CHAPTER 2

RELATED WORKS

2.1 First Heading

This is the beginning of the second chapter and the first section of the second chapter. The rest of the text in this section is meaningless filler.¹

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer luctus feugiat odio et fermentum. Etiam ut vulputate tellus. Aenean sed libero nec nibh gravida consequat eu vel diam. Nullam at accumsan purus. Nullam sit amet nulla et orci dapibus mollis. Etiam placerat, lacus eget venenatis bibendum, metus odio commodo nisi, sed scelerisque nulla odio vel nibh. Mauris vitae elementum turpis.

Proin eu lectus non odio vestibulum fermentum nec et leo. Integer ut leo velit. Curabitur nec est eget felis accumsan interdum. Duis fermentum turpis id mauris blandit convallis. Morbi risus arcu, ornare eget lectus in, accumsan rutrum mi. Nulla facilisi. Donec iaculis nisl vitae erat luctus, vitae consequat mi condimentum. Duis imperdiet enim sapien, vitae suscipit neque ullamcorper sit amet. Aliquam placerat lorem risus, at tempor lectus placerat egestas. Vestibulum rhoncus, eros ut posuere cursus, mauris nisl egestas tortor, ac dignissim est libero pretium arcu. Fusce mollis lacus est, id vulputate leo ultrices sit amet. Quisque condimentum justo risus, posuere volutpat velit congue tempor. Integer quis nunc at nibh posuere congue ut et diam. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Maecenas id feugiat est, sit amet viverra tortor.

¹The filler used on this page is of a family called *Lorem Ipsum*. It was generated by <http://www.lipsum.com/feed/html> on August 18, 2014 at 8:08 pm Central Time. The site explains the history of *Lorem Ipsum* filler, the reason for using it, and a procedure for generating it.

2.2 Second Heading

Second section of the second chapter.

Normally a figure would go here.

Figure 2.1: Title of the Second Figure

Normally a figure would go here.

Table 2.1: Title of the Second Table

Normally a figure would go here.

Table 2.2: Title of the Third Table

CHAPTER 3

UTILITY EXTENSIONS TO THE RAGE ATTACK GRAPH GENERATOR

3.1 Path Walking

Due to the large-scale nature of Attack Graphs, analysis can prove difficult and time-consuming. With some networks reaching millions of states and edges, analyzing the entire network can be overwhelming complex. As a means of simplifying analysis, a potential strategy could be to consider only small subsets of the network at a time, rather than feeding the entire network into an analysis algorithm. To aid in this effort, a Path Walking feature was implemented as a separate program, and has two primary modes of usage. The goal of this feature is to provide a subset of the network that includes all possible paths from the root node to a designated node. The first mode is a manual mode, where a user can input the desired state to walk to, and the program will output a separate graph of all possible paths to the specified state. The second mode is an automatic mode, where the program will output separate subgraphs to all states in the network that have qualities of “*compliance_vio = true*” or “*compliance_vios > 0*”. This often produces multiple subgraphs, that can then be separately fed into an analysis program.

Figure 3.1 demonstrates an output of the Path Walking feature when walking to state 14. In this figure, the primary observable feature is that the network was reduced from 16 states to 6 states, and 32 edges to 12 edges. The reduction from the original network to the subset varies on the overall connectivity of the original Attack Graph, but the reduction can aid in simplifying the analysis process if only certain states of the network are to be analyzed.




Figure 3.1: Path Walking to State 14

3.2 Compound Operators

Many of the networks previously generated by RAGE compromise of states with features that can be fully enumerated. In many of the generated networks, there is an established set of qualities that will be used, with an established set of values. These typically have included “*compliance_vio = true/false*”, “*root = true/false*”, or other general “*true/false*” values or “*version = X*” qualities. To expand on the types and complexities of networks that can be generated, compound operators have been added to RAGE. When updating a state, rather than setting a quality to a specific value, the previous value can now be modified by an amount specified through standard compound operators such as $+=$, $-=$, $*=$, or $/=$.

The work conducted by the author of [1] when designing the software architecture included specifications for a quality encoding scheme. As the author discusses, qualities have four fields, which include the asset ID, attributes, operator, and value. The operator field is 4 bits, which allows for a total of 16 operators. Since the only operator in use at the

time was the “ = ” operator, the addition of four compound operators does not surpass the 16 operator limit, and no encoding scheme changes were necessary. This also allows for additional compound operators to be incorporated in the future.

A few changes were necessary to allow for the addition of compound operators. Before the generation of an Attack Graph begins, all values are stored in a hash table. For previous networks generated by RAGE, this was not a difficulty, since all values could be fully enumerated and all possible values were known. When using compound operators however, not all values can be fully known. The concept of approximating which exploits will be applicable and what absolute minimum or maximum values will be prior to generation is a difficult task, so not all values can be enumerated and stored into the hash table. As a result, on-the-fly updates to the hash table needed to be added to the generator. The original key-value scheme for hash tables relied on utilizing the size of the hash table for values. Since the order in which updates happen may not always remain consistent (and is especially true in distributed computing environments), it is possible for states to receive different hash values with the original hashing scheme. To prevent this, the hashing scheme was adjusted so that the new value of the compound operator is inserted into the hash table values if it was not found, rather than the size of the hash table. Previously, there was no safety check for the hash table, so if the value was not found, the program would end execution. The assumption that this value can be inserted into the hash table is safe to make, since compound operators are conducted on numeric values, and matches the numeric type of the hash table.

3.3 Color Coding

As a visual aid for analysis purposes, color coding was another feature implemented as a postprocessing tool for RAGE. When viewing the output graph of RAGE, all states are originally identical in appearance, apart from number of edges, edge IDs, and state IDs. To allow for visual differentiation, color coding can be enabled in the run script. Color coding currently functions by working through the graph output text file, but it can be

extended to read directly from Postgres instead. The feature scans through the output file, and locates states that have “*compliance_vios* = *X*” (where *X* is a number greater than 0), or “*compliance_vio* = *true*”. For states that meet these properties, the color coding feature will add a color to the graphviz DOT file through the [*color* = *COL*] attribute for the given node, where *COL* is assigned based on severity. For this version of color coding, severity is determined by the total number of compliance violations, but future versions can alter the severity measure through alternative means. Figure 3.2 displays an example graph that leverages color coding to easily identify problem states.




Figure 3.2: Color Coding a Small Network Based on Violations

3.4 Intermediate Database Storage

Fourth section of the third chapter.

3.5 Relational Operators

Fifth section of the third chapter.

CHAPTER 4

SYNCHRONOUS FIRING

4.1 First Heading

This is the beginning of the second chapter and the first section of the second chapter. The rest of the text in this section is meaningless filler.¹

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer luctus feugiat odio et fermentum. Etiam ut vulputate tellus. Aenean sed libero nec nibh gravida consequat eu vel diam. Nullam at accumsan purus. Nullam sit amet nulla et orci dapibus mollis. Etiam placerat, lacus eget venenatis bibendum, metus odio commodo nisi, sed scelerisque nulla odio vel nibh. Mauris vitae elementum turpis.

Proin eu lectus non odio vestibulum fermentum nec et leo. Integer ut leo velit. Curabitur nec est eget felis accumsan interdum. Duis fermentum turpis id mauris blandit convallis. Morbi risus arcu, ornare eget lectus in, accumsan rutrum mi. Nulla facilisi. Donec iaculis nisl vitae erat luctus, vitae consequat mi condimentum. Duis imperdiet enim sapien, vitae suscipit neque ullamcorper sit amet. Aliquam placerat lorem risus, at tempor lectus placerat egestas. Vestibulum rhoncus, eros ut posuere cursus, mauris nisl egestas tortor, ac dignissim est libero pretium arcu. Fusce mollis lacus est, id vulputate leo ultrices sit amet. Quisque condimentum justo risus, posuere volutpat velit congue tempor. Integer quis nunc at nibh posuere congue ut et diam. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Maecenas id feugiat est, sit amet viverra tortor.

¹The filler used on this page is of a family called *Lorem Ipsum*. It was generated by <http://www.lipsum.com/feed/html> on August 18, 2014 at 8:08 pm Central Time. The site explains the history of *Lorem Ipsum* filler, the reason for using it, and a procedure for generating it.

4.2 Second Heading

Second section of the second chapter.

Normally a figure would go here.

Figure 4.1: Title of the Second Figure

Normally a figure would go here.

Table 4.1: Title of the Second Table

Normally a figure would go here.

Table 4.2: Title of the Third Table

CHAPTER 5

IMPLEMENTATION OF MESSAGE PASSING INTERFACE

5.1 Tasking Approach

This is the beginning of the second chapter and the first section of the second chapter. The rest of the text in this section is meaningless filler.¹

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer luctus feugiat odio et fermentum. Etiam ut vulputate tellus. Aenean sed libero nec nibh gravida consequat eu vel diam. Nullam at accumsan purus. Nullam sit amet nulla et orci dapibus mollis. Etiam placerat, lacus eget venenatis bibendum, metus odio commodo nisi, sed scelerisque nulla odio vel nibh. Mauris vitae elementum turpis.

Proin eu lectus non odio vestibulum fermentum nec et leo. Integer ut leo velit. Curabitur nec est eget felis accumsan interdum. Duis fermentum turpis id mauris blandit convallis. Morbi risus arcu, ornare eget lectus in, accumsan rutrum mi. Nulla facilisi. Donec iaculis nisl vitae erat luctus, vitae consequat mi condimentum. Duis imperdiet enim sapien, vitae suscipit neque ullamcorper sit amet. Aliquam placerat lorem risus, at tempor lectus placerat egestas. Vestibulum rhoncus, eros ut posuere cursus, mauris nisl egestas tortor, ac dignissim est libero pretium arcu. Fusce mollis lacus est, id vulputate leo ultrices sit amet. Quisque condimentum justo risus, posuere volutpat velit congue tempor. Integer quis nunc at nibh posuere congue ut et diam. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Maecenas id feugiat est, sit amet viverra tortor.

¹The filler used on this page is of a family called *Lorem Ipsum*. It was generated by <http://www.lipsum.com/feed/html> on August 18, 2014 at 8:08 pm Central Time. The site explains the history of *Lorem Ipsum* filler, the reason for using it, and a procedure for generating it.

5.2 Subgraphing Approach

Second section of the second chapter.

Normally a figure would go here.

Figure 5.1: Title of the Second Figure

Normally a figure would go here.

Table 5.1: Title of the Second Table

Normally a figure would go here.

Table 5.2: Title of the Third Table

CHAPTER 6

PERFORMANCE ANALYSIS

6.1 First Heading

This is the beginning of the second chapter and the first section of the second chapter. The rest of the text in this section is meaningless filler.¹

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer luctus feugiat odio et fermentum. Etiam ut vulputate tellus. Aenean sed libero nec nibh gravida consequat eu vel diam. Nullam at accumsan purus. Nullam sit amet nulla et orci dapibus mollis. Etiam placerat, lacus eget venenatis bibendum, metus odio commodo nisi, sed scelerisque nulla odio vel nibh. Mauris vitae elementum turpis.

Proin eu lectus non odio vestibulum fermentum nec et leo. Integer ut leo velit. Curabitur nec est eget felis accumsan interdum. Duis fermentum turpis id mauris blandit convallis. Morbi risus arcu, ornare eget lectus in, accumsan rutrum mi. Nulla facilisi. Donec iaculis nisl vitae erat luctus, vitae consequat mi condimentum. Duis imperdiet enim sapien, vitae suscipit neque ullamcorper sit amet. Aliquam placerat lorem risus, at tempor lectus placerat egestas. Vestibulum rhoncus, eros ut posuere cursus, mauris nisl egestas tortor, ac dignissim est libero pretium arcu. Fusce mollis lacus est, id vulputate leo ultrices sit amet. Quisque condimentum justo risus, posuere volutpat velit congue tempor. Integer quis nunc at nibh posuere congue ut et diam. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Maecenas id feugiat est, sit amet viverra tortor.

¹The filler used on this page is of a family called *Lorem Ipsum*. It was generated by <http://www.lipsum.com/feed/html> on August 18, 2014 at 8:08 pm Central Time. The site explains the history of *Lorem Ipsum* filler, the reason for using it, and a procedure for generating it.

6.2 Second Heading

Second section of the second chapter.

Normally a figure would go here.

Figure 6.1: Title of the Second Figure

Normally a figure would go here.

Table 6.1: Title of the Second Table

Normally a figure would go here.

Table 6.2: Title of the Third Table

CHAPTER 7

CONCLUSIONS AND FUTURE WORKS

7.1 First Heading

This is the beginning of the second chapter and the first section of the second chapter. The rest of the text in this section is meaningless filler.¹

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer luctus feugiat odio et fermentum. Etiam ut vulputate tellus. Aenean sed libero nec nibh gravida consequat eu vel diam. Nullam at accumsan purus. Nullam sit amet nulla et orci dapibus mollis. Etiam placerat, lacus eget venenatis bibendum, metus odio commodo nisi, sed scelerisque nulla odio vel nibh. Mauris vitae elementum turpis.

Proin eu lectus non odio vestibulum fermentum nec et leo. Integer ut leo velit. Curabitur nec est eget felis accumsan interdum. Duis fermentum turpis id mauris blandit convallis. Morbi risus arcu, ornare eget lectus in, accumsan rutrum mi. Nulla facilisi. Donec iaculis nisl vitae erat luctus, vitae consequat mi condimentum. Duis imperdiet enim sapien, vitae suscipit neque ullamcorper sit amet. Aliquam placerat lorem risus, at tempor lectus placerat egestas. Vestibulum rhoncus, eros ut posuere cursus, mauris nisl egestas tortor, ac dignissim est libero pretium arcu. Fusce mollis lacus est, id vulputate leo ultrices sit amet. Quisque condimentum justo risus, posuere volutpat velit congue tempor. Integer quis nunc at nibh posuere congue ut et diam. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Maecenas id feugiat est, sit amet viverra tortor.

¹The filler used on this page is of a family called *Lorem Ipsum*. It was generated by <http://www.lipsum.com/feed/html> on August 18, 2014 at 8:08 pm Central Time. The site explains the history of *Lorem Ipsum* filler, the reason for using it, and a procedure for generating it.

7.2 Second Heading

Second section of the second chapter.

Normally a figure would go here.

Figure 7.1: Title of the Second Figure

Normally a figure would go here.

Table 7.1: Title of the Second Table

Normally a figure would go here.

Table 7.2: Title of the Third Table

BIBLIOGRAPHY

- [1] Kyle Cook. *RAGE: The Rage Attack Graph Engine*. PhD thesis, 2018.

APPENDIX A

THE FIRST APPENDIX

Text in the appendix. Now we will type in a little more text so that we can see if the paragraph is properly indented.

Normally a table would go here.

Table A.1: Title of the Only Table in this Appendix.

APPENDIX B

THE SECOND APPENDIX

Of course this is the material that goes in the second appendix. What did you expect to find here?

B.1 A Heading in an Appendix

A recent modification corrects the numbering of sections, subsections and subsubsection in the appendix.

B.1.1 A Subheading in an Appendix

The subsection appears to work.

A Sub-subsection in an Appendix: And the sub subsection also works. Finally we test that figures and tables also work.

Normally a table would go here.

Table B.1: Title of the First Table in this Appendix.

Normally a figure would go here.

Figure B.1: Title of the First Figure in this Appendix.

Normally a table would go here.

Table B.2: Title of the Second Table in this Appendix.

Normally a figure would go here.

Figure B.2: Title of the Second Figure in this Appendix.